

# MongoDB JDBC Driver Setup with Splunk DBConnect version 1

---

1. Download and extract the MongoDB JDBC package. You will need the `mongodb_unityjdbc_full.jar`.
2. Install the Splunk DB Connect App.
3. Place the `mongodb_unityjdbc_full.jar` in the directory `Splunk\etc\apps\dbx\bin\lib`.
4. Modify the `database_types.conf` file to have the following additional data sources:

```
[mongo]
displayName = MongoDB
jdbcDriverClass = mongodb.jdbc.MongoDriver
connectionUrlFormat = jdbc:mongo://{0}:{1}/{2}
testQuery = SELECT 1
```

```
[unity]
displayName = Unity
jdbcDriverClass = unity.jdbc.UnityDriver
connectionUrlFormat = jdbc:unity://{0}
testQuery = SELECT 1
```

5. Restart Splunk.
6. Sample connection information is:

|                  |                       |
|------------------|-----------------------|
| <b>Host:</b>     | ds029847.mongolab.com |
| <b>Port:</b>     | 29847                 |
| <b>Username:</b> | dbuser                |
| <b>Password:</b> | dbuser                |
| <b>Database:</b> | tpch                  |
7. For UnityJDBC, put the absolute path to the `sources.xml` file in the Host field (e.g. `c:\tmp\sources.xml`).
8. After you set up your data source, you should be able to use a MongoDB source or a UnityJDBC source like any other SQL source.